93 RF8610

DIST

BENEDETTI, R L BENJAMIN, A BERMAN, H S BRANCH DB CARNIVAL GJ

COPP RD DAVIS J G FERRERA DW HANNI B.J HARMAN L K HEALY TJ

HEDAHL T HILBIG, J G

KIRBY WA

MANN H MARX GE MCDONALD M M

KUESTER A W LEE E M

McKENNA, F G MONTROSE, J K MORGAN R V

POTTER GL PIZZUTO V M

TEWART DL

SULLIVAN MT SWANSON, ER

WILKINSON R B

ZANE J O

WILLIAMS S (ORC WILSON J M

RILEY, JH SANDLIN, N B HEPLER, R L

, **EG&G** ROCKY FLATS

EG&G ROCKY FLATS, INC ROCKY FLATS PLANT, P O BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

July 14, 1993

93-RF-8610

J K Hartman **Assistant Manager** Transition and Environmental Restoration DOE, RFO

Attn R J Schassburger

OPERABLE UNIT 2 (OU2) SURFACE WATER INTERIM MEASURE/INTERIM REMEDIAL ACTION (IM/IRA) DISCHARGE OF HIGH pH WATER - RLB-350-93

At 0230 hours on Saturday, July 10, 1993, the OU2 IM/IRA treatment facility began to discharge water that was above the normal pH range of 6 to 9 This discharge of approximately 7,000 gallons of higher than normal pH water took place until 0510 hours Saturday morning The pH of this water was as high as 12 at times The discharge of this water was caused in part by equipment failure (inaccurate pH probe readings) and operator error Sampling of the B-4 and B-5 ponds downstream of the IM/IRA indicated no elevated pH levels. Visual inspection of the stream downgradient of the IM/IRA discharge point also indicated no damage to plant or animal life. This water has very little buffering capacity, as the chemical precipitation/microfiltration unit removes most all of the carbonate species from the water, allowing the pH to fluctuate greatly

Actions have been implemented to assure that this will not occur again. These actions include increased pH probe cleaning, and a more definitive method for determining when discharge is to be stopped and recirculated through the treatment system

If you have any questions or concerns, please contact Ty Vess at extension 6540

CLASSIFICATION

CORRES CONTROL

ADMIN RECORD TRAFFIC

UCNI UNCLASSIFIED CONFIDENTIAL

AUTHORIZED CLASSIFIER SIGNATURE DOCUMENT CLASSIFICATION REVIEW WAIVER PER

CLASSIFICATION OFFICE

IN REPLY TO RFP CC NO

ACTION ITEM STATUS OPEN CLOSED

PARTIAL .

LTR APPROVALS

MCB: MW

ORIG & TYPIST INITIALS

RF 46460 (Ray 2 03)

mTV: law

 ∞

SP

A H Paoule - DOE, RFO

Orig and 1 cc - J K Hartman

Associate General Manager

Environmental Restoration Management

S R Grace - DOE, RFO

R L Benedetti

MTV Imw

ADMIN RECORD

Singh - DOE, RFO

REVIEWED FOR CLASSIFICATION/UCMI G T Ostd ek BY

A-0U01 0007,6